

Datum: 21.03.2019


Maßstab Rammdiagramm: 1: 50

Rammsondierung  
 DIN EN ISO 22476-2

RW: 4515926

HW: 5385589

Tiefe	N <sub>10</sub>	Tiefe	N <sub>10</sub>
0.10	0	4.10	7
0.20	1	4.20	8
0.30	1	4.30	8
0.40	2	4.40	10
0.50	2	4.50	9
0.60	4	4.60	9
0.70	4	4.70	10
0.80	5	4.80	11
0.90	5	4.90	16
1.00	4	5.00	17
1.10	5	5.10	16
1.20	5	5.20	14
1.30	4	5.30	9
1.40	4	5.40	5
1.50	4	5.50	4
1.60	4	5.60	5
1.70	4	5.70	6
1.80	4	5.80	6
1.90	4	5.90	8
2.00	3	6.00	9
2.10	2	6.10	9
2.20	2	6.20	9
2.30	2	6.30	10
2.40	1	6.40	11
2.50	2	6.50	13
2.60	1	6.60	20
2.70	1	6.70	16
2.80	1	6.80	14
2.90	2	6.90	12
3.00	2	7.00	14
3.10	2		
3.20	1		
3.30	2		
3.40	2		
3.50	2		
3.60	4		
3.70	3		
3.80	5		
3.90	5		
4.00	8		



Datum: 20.03.2019

Maßstab Rammdiagramm: 1: 50

Rammsondierung  
 DIN EN ISO 22476-2


RW: 4516030

HW: 5385645

Tiefe	N <sub>10</sub>	Tiefe	N <sub>10</sub>
0.10	0	4.10	6
0.20	0	4.20	8
0.30	2	4.30	6
0.40	1	4.40	5
0.50	2	4.50	4
0.60	2	4.60	5
0.70	4	4.70	5
0.80	5	4.80	5
0.90	4	4.90	5
1.00	5	5.00	8
1.10	6	5.10	7
1.20	6	5.20	10
1.30	5	5.30	7
1.40	5	5.40	8
1.50	4	5.50	8
1.60	3	5.60	8
1.70	3	5.70	9
1.80	3	5.80	9
1.90	3	5.90	11
2.00	2	6.00	12
2.10	3	6.10	11
2.20	2	6.20	14
2.30	2	6.30	17
2.40	1	6.40	17
2.50	2	6.50	15
2.60	1	6.60	14
2.70	2	6.70	15
2.80	2	6.80	18
2.90	2	6.90	18
3.00	2	7.00	14
3.10	2		
3.20	1		
3.30	2		
3.40	2		
3.50	3		
3.60	2		
3.70	4		
3.80	4		
3.90	4		
4.00	4		

## DPH 2

Ansatzpunkt: 387.68 mNN



Datum: 20.03.2019


Maßstab Rammdiagramm: 1: 50

Rammsondierung  
 DIN EN ISO 22476-2

RW: 4515982

HW: 5385615

Tiefe	N <sub>10</sub>	Tiefe	N <sub>10</sub>
0.10	0	4.10	5
0.20	1	4.20	5
0.30	2	4.30	7
0.40	1	4.40	8
0.50	2	4.50	10
0.60	1	4.60	9
0.70	2	4.70	9
0.80	1	4.80	5
0.90	3	4.90	4
1.00	6	5.00	5
1.10	6	5.10	9
1.20	6	5.20	9
1.30	5	5.30	9
1.40	5	5.40	9
1.50	4	5.50	10
1.60	4	5.60	10
1.70	4	5.70	11
1.80	3	5.80	10
1.90	2	5.90	16
2.00	3	6.00	11
2.10	2	6.10	11
2.20	3	6.20	8
2.30	2	6.30	12
2.40	2	6.40	14
2.50	2	6.50	15
2.60	2	6.60	18
2.70	2	6.70	24
2.80	2	6.80	29
2.90	2	6.90	23
3.00	1	7.00	21
3.10	2		
3.20	2		
3.30	1		
3.40	3		
3.50	3		
3.60	3		
3.70	3		
3.80	4		
3.90	5		
4.00	5		





Datum: 20.03.2019

Maßstab Rammdiagramm: 1: 50

Rammsondierung  
 DIN EN ISO 22476-2


RW: 4516057

HW: 5385583

Tiefe	N <sub>10</sub>	Tiefe	N <sub>10</sub>
0.10	0	4.10	5
0.20	0	4.20	3
0.30	2	4.30	2
0.40	1	4.40	2
0.50	1	4.50	2
0.60	1	4.60	3
0.70	1	4.70	2
0.80	1	4.80	3
0.90	1	4.90	4
1.00	2	5.00	3
1.10	3	5.10	5
1.20	4	5.20	8
1.30	3	5.30	14
1.40	4	5.40	17
1.50	3	5.50	14
1.60	3	5.60	17
1.70	3	5.70	18
1.80	3	5.80	19
1.90	2	5.90	18
2.00	2	6.00	18
2.10	1	6.10	17
2.20	2	6.20	21
2.30	2	6.30	25
2.40	1	6.40	29
2.50	2	6.50	23
2.60	1	6.60	21
2.70	2	6.70	18
2.80	7	6.80	18
2.90	10	6.90	24
3.00	11	7.00	21
3.10	11		
3.20	10		
3.30	11		
3.40	11		
3.50	12		
3.60	12		
3.70	11		
3.80	11		
3.90	10		
4.00	9		

### DPH 4

Ansatzpunkt: 387.10 mNN



Datum: 21.03.2019

Maßstab Rammdiagramm: 1: 50

Rammsondierung  
 DIN EN ISO 22476-2

RW: 4516660

HW: 5385551

Tiefe	N <sub>10</sub>	Tiefe	N <sub>10</sub>
0.10	0	4.10	4
0.20	0	4.20	4
0.30	2	4.30	4
0.40	1	4.40	5
0.50	1	4.50	5
0.60	1	4.60	5
0.70	2	4.70	6
0.80	1	4.80	5
0.90	1	4.90	6
1.00	1	5.00	7
1.10	3	5.10	7
1.20	4	5.20	6
1.30	4	5.30	9
1.40	4	5.40	15
1.50	4	5.50	16
1.60	3	5.60	12
1.70	3	5.70	14
1.80	3	5.80	14
1.90	3	5.90	13
2.00	3	6.00	14
2.10	2	6.10	15
2.20	2	6.20	18
2.30	2	6.30	18
2.40	2	6.40	16
2.50	2	6.50	16
2.60	2	6.60	23
2.70	1	6.70	32
2.80	2	6.80	35
2.90	1	6.90	34
3.00	2	7.00	34
3.10	1		
3.20	2		
3.30	1		
3.40	2		
3.50	2		
3.60	2		
3.70	3		
3.80	3		
3.90	3		
4.00	3		

